

社団法人日本栄養・食糧学会 研究業績

<学 会 賞>

研究題目:(和)	無機リン代謝調節に関する分子栄養学研究		
(英)	Molecular nutrition of inorganic phosphate metabolism		
氏 名:(和)	宮本 賢一		
(英)	Ken-ichi Miyamoto		
所属機関:(和)	徳島大学大学院ヘルスバイオサイエンス研究部・分子栄養学分野		
(英)	Department of Molecular Nutrition, Institution of Health Biosciences, The University of Tokushima Graduate School		
学 位:	保健学博士	最終学歴:	徳島大学大学院栄養学研究科 博士後期課程
会員番号:	0097029770	入会年度:	1991年

研究業績要旨(1,000字以内)

リンは、我々の日常的な摂取で摂取過剰が問題視されている栄養素である。生体カルシウム/リンバランスの異常は、慢性腎臓や代謝性骨疾患など、様々な疾患に関連している。生体のリンバランスは、腸管吸収、腎排泄および骨からの動員により行われ、リントランスポーター (NaPi)はそれらの中心的な役割を担っている。食餌性リンは小腸、腎臓および骨に作用することで、リン代謝調節ホルモンを動員し、NaPiの変動を介して、生体のリンバランスに影響を与える。我々は、1) NaPi-IIファミリーの同定およびノックアウトマウス解析、2)リン調節ホルモンの検索、3)食餌性リンシグナルの伝達機序について研究を推進した。まず、NaPi-IIaの研究では、機能調節に関係する3種類のアイソフォームが存在することを見出した。また NaPi-IIaの食餌性リンによる調節機構を解明し、NaPi-IIa遺伝子における食餌性リン応答転写因子(TFE-3)、さらに細胞膜移行に重要なPDZ蛋白やPEX19の役割を解明した。次に、NaPi-IIbの研究では、腸管における発現制御機構および各種食餌性因子による調節機構を明らかにした。さらにNaPi-IIcに関する研究では、本トランスポーターが成長に必要である事、また遺伝性低リン血症くる病の原因遺伝子であることを報告した。また、NaPi-IIa, IIb および IIcノックアウトマウスを作製し、リン代謝異常を解析した。さらに、新しいビタミンD/リン代謝系(klotho/fibroblast growth factor 23 FGF23)が、リン代謝に重要である事を明らかにした。また、食事性カルシウム/リン比が、副甲状腺ホルモン、活性型ビタミンDおよびFGF23を調節する分子機構を検討した。本研究により、従来はカルシウム代謝の付随的な調節と考えられていたリン代謝において、リン独自の代謝調節機構の存在が明らかになった。

## 報文等リスト

(1) この研究に直接関連するもの(10 編以内)

- 1) Segawa H, Onitsuka A, Furutani J, Kaneko I, Aranami F, Matsumoto N, Tomoe Y, Kuwahata M, Ito M, Matsumoto M, Li M, Amizuka N, Miyamoto K (2009) Npt2a and Npt2c in mice play distinct and synergistic roles in inorganic phosphate metabolism and skeletal development. *Am J Physiol Renal Physiol* 297:F671-F678
- 2) \*Kusano K, Saito H, Segawa H, Fukushima N, Miyamoto K (2009) Mutant FGF23 prevents the progression of chronic kidney disease but aggravates renal osteodystrophy in uremic rats. *J Nutr Sci Vitaminol* 55:99-105
- 3) Segawa H, Onitsuka A, Kuwahata M, Hanabusa E, Furutani J, Kaneko I, Tomoe Y, Aranami F, Matsumoto N, Ito M, Matsumoto M, Li M, Amizuka N, Miyamoto K (2009) Type IIc sodium-dependent phosphate transporter regulates calcium metabolism. *J Am Soc Nephrol* 20:104-113
- 4) \*Kusano K, Segawa H, Ohnishi R, Fukushima N, Miyamoto K (2008) Role of low protein and low phosphorus diet in the progression of chronic kidney disease in uremic rats. *J Nutr Sci Vitaminol* 54:237-243
- 5) Segawa H, Yamanaka S, Ohno Y, Onitsuka A, Shiozawa K, Aranami F, Furutani J, Tomoe Y, Ito M, Kuwahata M, Imura A, Nabeshima Y, Miyamoto K (2007) Correlation between hyperphosphatemia and type II Na-Pi cotransporter activity in klotho mice. *Am J Physiol Renal Physiol*. 292: F769-79.
- 6) Saito H, Maeda A, Ohtomo S, Hirata M, Kusano K, Kato S, Ogata E, Segawa H, Miyamoto K, Fukushima N (2005) Circulating FGF-23 is regulated by 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> and phosphorus in vivo. *J Biol Chem* 280 ; 2543-2549.
- 7) Segawa H, Yamanaka S, Ito M, Kuwahata M, Shono M, Yamamoto T, Miyamoto K (2004) Internalization of renal type IIc Na/Pi cotransporter in response to a high phosphate diet. *Am J Physiol Renal Physiol* 288: F587-F596.
- 8) Saito H, Kusano K, Kinoshita M, Ito H, Hirata M, Segawa H, Miyamoto K, Fukushima N (2003) Human fibroblast growth factor-23 mutants suppress Na<sup>+</sup>-dependent phosphate co-transport activity and 1 $\alpha$ , 25-dihydroxyvitamin D<sub>3</sub> production. *J Biol Chem* 278: 2206-2211.
- 9) Segawa H, Kaneko I, Takahashi A, Kuwahata M, Ito M, Ohkido I, Tatsumi S, Miyamoto K (2002) Growth-related renal type II Na/Pi cotransporter. *J Biol Chem* 277: 19665-19672.
- 10) Kido S, Miyamoto K, Mizobuchi H, Taketani Y, Ohkido I, Ogawa N, Kaneko Y, Harashima S, Takeda E. (1999) Identification of regulatory sequences and binding proteins in the type II sodium/phosphate cotransporter NPT2 gene responsive to dietary phosphate. *J Biol Chem* 274: 28256-28263.

2) その他の論文(編数制限なし)

○リン代謝に関連する研究

- 1) Breusegmen SY, Takahashi H, Giral-Arnal H, Wang X, Segawa H, Miyamoto K, Levi M Differential regulation of the renal sodium-phosphate cotransporters NaPi-IIa, NaPi-IIc, and PiT-2 in dietary potassium deficiency. *Am J Physiol Renal Physiol* 297:F350-F361, 2009
- 2) Kuwahata M, Kuramoto Y, Sawai Y, Amano S, Tomoe Y, Segawa H, Tatsumi S, Ito M, Kobayashi Y, Kido Y, Oka T, Miyamoto K Polypyrimidine tract-binding protein is involved in regulation of albumin synthesis in response to food intake. *J Nutr Sci Vitaminol* 54:142-147,2008.
- 3) Miyamoto K, Ito M, Tatsumi S, Kuwahata M, Segawa H New aspect of renal phosphate reabsorption: the type IIc sodium-dependent phosphate transporter. *Am J Nephrol* 27 : 503-15 (Review),2007
- 4) Ohnishi R, Segawa H, Kawakami E, Furutani J, Ito M, Tatsumi S, Kuwahata M, Miyamoto K. Control of phosphate appetite in young rats. *J Med Invest* 54: 366-9,2007.
- 5) Sawada N, Taketani Y, Amizuka N, Ichikawa M, Ogawa C, Nomoto K, Nashiki K, Sato T, Arai H, Isshiki M, Segawa H, Yamamoto H, Miyamoto K, Takeda E Caveolin-1 in extracellular matrix vesicles secreted from osteoblasts. *Bone* 41:52-8,2007.
- 6) Ito M, Haito S, Furumoto M, Uehata Y, Sakurai A, Segawa H, Tatsumi S, Kuwahata M, Miyamoto K Unique uptake and efflux systems of inorganic phosphate in osteoclast-like cells. *Am J Physiol Cell Physiol* 292: C526-34, 2007.
- 7) Segawa H, Yamanaka S, Onitsuka A, Tomoe Y, Kuwahata M, Ito M, Taketani Y, Miyamoto K Parathyroid hormone-dependent endocytosis of renal type IIc Na-Pi cotransporter. *Am J Physiol Renal Physiol* 292: F395-403,2007.
- 8) Kuwahata M, Tomoe Y, Harada N, Amano S, Segawa H, Tatsumi S, Ito M, Oka T, Miyamoto K Characterization of the molecular mechanisms involved in the increased insulin secretion in rats with acute liver failure. *Biochim Biophys Acta* 1772: 60-5, 2007.
- 9) Miyamoto K, Ito M, Kuwahata M, Kato S, Segawa H Inhibition of intestinal sodium-dependent inorganic phosphate transport by fibroblast growth factor 23. *Ther Apher Dial* 9: 331-5, 2005.

- 10) Yamamoto H, Tani Y, Kobayashi K, Taketani Y, Sato T, Arai H, Morita K, Miyamoto K, Wesley Pike J, Kato S, Takeda E Alternative promoters and renal cell-specific regulation of the mouse type IIa sodium-dependent phosphate cotransporter gene. *Biochim Biophys Acta*. 1732:43-52, 2005.
- 11) Ito M, Haito S, Furumoto M, Kawai Y, Terao J, Miyamoto K Approach to novel functional foods for stress control 4. Regulation of serotonin transport by food factors. *J Med Invest*. 52: 245-248, 2005.
- 12) Segawa H, Kaneko I, Yamanaka S, Kusano K, Kawakami E, Furutani J, Ito M, Kuwahata M, Saito M, Fukushima N, Kato S, Kanayama H, Miyamoto K Role of the vitamin D receptor in FGF23 action on phosphate metabolism. *Biochem J* 390: 325-331, 2005.
- 13) Matsuo A, Negoro T, Seo T, Kitao Y, Shindo M, Segawa H, Miyamoto K Inhibitory effect of JTP-59557, a new triazole derivative, on intestinal phosphate transport in vitro and in vivo. *Eur J Pharmacol* 517: 111-119, 2005.
- 14) Ito M, Sakai Y, Furumoto M, Segawa H, Haiso S, Yamanaka S, Nakamura R, Kuwahata M, Miyamoto K Vitamin D and phosphate regulate fibroblast growth factor-23 in K-562 cells. *Am J Physiol Endocrinol Metab* 288: E1101-E1109, 2005.
- 15) Ito M, Matsuka N, Izuka M, Haito S, Sakai Y, Nakamura R, Segawa H, Kuwahata M, Yamamoto H, Wesley J.Pike, Miyamoto K Characterization of inorganic phosphate transport in osteoclast like cells. *Am J Physiol Cell Physiol* 288: C921-C931, 2005.
- 16) Nashiki K, Taketani Y, Takeichi T, Sawada N, Yamamoto H, Ichikawa M, Arai H, Miyamoto K, Takeda E Role of ezrin in the parathyroid hormone-mediated downregulation of sodium-dependent phosphate transporter in opossum kidney cells. *Kidney Int* 68: 1137-47, 2005.
- 17) Segawa H, Kaneko I, Yamanaka S, Ito M, Kuwahata M, Inoue Y, Kato S, Miyamoto K Intestinal Na-Pi cotransporter adaptation to dietary Pi content in vitamin D receptor null mice. *Am J Physiol Renal Physiol* 287: F39-F47, 2004.
- 18) Ito M, Akai E, Izuka M, Segawa H, Kuwahata M, Miyamoto K Cloning and characterization of three PHEX homologues in Drosophila. *J Bone Miner Metab* 22, 3-11, 2004.
- 19) Ito M, Iidawa S, Izuka M, Haito S, Segawa H, Kuwahata M, Ohkido I, Ohno Hiroshi, Miyamoto K Interaction of a farnesylated protein with renal type IIa Na/Pi co-transporter in response to parathyroid hormone and dietary phosphate. *Biochem. J* 377: 607-616, 2004.
- 20) Tenenhouse HS, Martel J, Gauthier C, Segawa H, Miyamoto K. Differential effects of Npt2a gene

ablation and the X-linked Hyp mutation on renal expression of type IIc Na/phosphate cotransporter. *Am J Physiol Renal Physiol* 285: F1271-F1278, 2003.

21) Miyamoto K, Ito M, Kuwahata M, Segawa H Sensing Mechanisms of inorganic phosphate in mammalian cells. *Current Topics in Medical Chemistry* 3, 65-75, 2003.

22) Ohkido I, Segawa H, Yanagida R, Nakamura M, Miyamoto K. Cloning, gene structure and dietary regulation of the type-IIc Na/Pi cotransporter in the mouse kidney. *Pflugers Arch-Eur J Physiol*. 446:106-15, 2003

23) Segawa H, Kawakami E, Kaneko I, Kuwahata M, Ito M, Kusano K, Saito H, Fukushima N, Miyamoto K. Effect of hydrolysis-resistant FGF23-R179Q on dietary phosphate regulation of the renal type-II Na/Pi transporter. *Pflugers Arch-Eur J Physiol* 446:585-592, 2003.

24) Miyamoto K, Ito M, segawa H, Kuwahata M. Molecular targets of hyperphosphataemia in chronic renal failure. *Nephrol Dial Transplant* 18: 79-81, 2003.

25) Taketani Y, Nomoto M, Yamamoto H, Isshiki M, Morita K, Arai H, Miyamoto K, Kato S, Takeda E Increase in IP3 and intracellular Ca<sup>2+</sup> induced by phosphate depletion LLC-PK1 cells. *Biochem and Biophys Res Commun* 305: 287-291, 2003.

26) \*Takeda E, Sakamoto K, Yokota K, Shinohara M, Taketani Y, Morita K, Yamamoto H, Miyamoto K, Shibayama M. Phosphorus supply per capita from food in Japan between 1960 and 1995. *J Nutr Sci Vitaminol* 48: 102-108, 2002.

27) Nii T, Taketani Y, Tani Y, Ohkido I, Segawa H, Yamamoto H, Morita K, Minamitani K, Minagawa M, Yasuda T, Niimi H, Miyauchi A, Miyamoto K, Takeda E. Direct demonstration of humorally mediated inhibition of the transcription of phosphate transporter in XLH patients. *Clin Exp Nephrol*, 5: 144-152, 2001.

28) Yamamoto T, Miyamoto K, Ozono K, Taketani Y, Katai K, Miyauchi A, Shima M, Yoshikawa H, Yoh K, Takeda E, Okada S. Hypophosphatemic rickets accompanying McCune-Albright syndrome: evidence that a humoral factor causes hypophosphatemia. *J Bone Miner Metab* 19: 287-295, 2001.

29) Miyamoto K, Ito M. Transcriptional regulation of the NPT2 gene by dietary phosphate. *Kidney Int* 60: 412-415, 2001.

30) Nii T, Segawa H, Taketani Y, Tani Y, Ohkido I, Kishida S, Ito M, Endou H, Kanai Y, Miyamoto K. Molecular events involved in up-regulating human Na<sup>+</sup>-independent neutral amino acid transporter LAT1

during T-cell activation. *Biochem J* 358: 693-704, 2001.

31) Yanagida O, Kanai Y, Chairoungdua A, Kim DK, Segawa H, Nii T, Cha SH, Matsuo H, Fukushima J, Fukasawa Y, Tani Y, Taketani Y, Uchino H, Kim JY, Inatomi J, Okayasu I, Miyamoto K, Takeda E, Goya T, Endou H. Human L-type amino acid transporter 1(LAT1) : characterization of function and expression in tumor cell lines. *Biochim Biophys Acta* 78149: 1-12, 2001.

32) Fukasawa Y, Segawa H, Kim JY, Chairoungdua A, Kim DK, Matsuo H, Cha SH, Miyamoto K, Endou H, Kanai Y. Identification and characterization of a Na (+)-Independent neutral amino acid transporter that associates with the 4F2 heavy chain and exhibits substrates electivity for small neutral D- and L- amino acids. *J Biol Chem* 275: 9690-9698, 2000

33) Miyamoto K, Ito M, Segawa H, Kuwahata M. Secondary hyperparathyroidism and phosphate sensing in parathyroid glands. *J med Invest* 47: 118-122, 2000.

34) Miyamoto K, Tatsumi S, Segawa H, Ohkido I, Takeda E. Identification and functional analysis of three isoforms for the Na<sup>+</sup>-dependent co-transporter (NaPi-2) in rat kidney. *Nephrol Dial Transplant* 15: 31-33, 2000.

35) Kanai Y, Fukasawa Y, Cha SH, Segawa H, Chairoungdua A, Kim DK, Matsuo H, Kim JY, Miyamoto K, Takeda E, Endou H. Transport properties of a system y<sup>+</sup>-L neutral and basic amino acid transporter: Insights into the mechanisms of substrate recognition. *J Biol Chem* 275: 20787-20793, 2000.

36) Takeda E, Taketani Y, Morita K, Miyamoto K. Sodium-dependent phosphate co-transporters. *Int J Biochem Cell Biol* 31: 377-381, 1999.

37) Katai K, Miyamoto K, Kishida S, Segawa H, Nii T, Tanaka H, Tani Y, Arai H, Tatsumi S, Morita K, Taketani Y, Takeda E. Regulation of intestinal Na<sup>+</sup>- dependent phosphate co-transporters by a low-phosphate diet and 1,25-dihydroxyvitamin D<sub>3</sub>. *Biochem J* 343: 705-712, 1999.

38) Segawa H, Fukasawa Y, Miyamoto K, Takeda E, Endou H, Kanai Y. Identification and functional characterization of a Na<sup>+</sup>-independent neutral amino acid transporter with broad substrate selectivity. *J Biol Chem* 274: 19745-19751, 1999.

39) Kido S, Miyamoto K, Mizobuchi H, Taketani Y, Ohkido I, Ogawa N, Kaneko Y, Harashima S, Takeda E. Identification of regulatory sequences and binding proteins in the type II sodium/phosphate cotransporter NPT2 gene responsive to dietary phosphate. *J Biol Chem* 274: 28256-28263, 1999.

40) Katai K, Tanaka H, Tatsumi S, Fukunaga Y, Genjida K, Morita K, Kuboyama N, Suzuki T, Akiba T,

- Miyamoto K, Takeda E. Nicotinamide inhibits sodium-dependent phosphate cotransport activity in rat small intestine. *Nephrol Dial Transplant* 14: 1195-1201, 1999.
- 41) Shiraga T, Miyamoto K, Tanaka H, Yamamoto H, Taketani Y, Morita K, Tamai I, Tsuji A, Takeda E. Cellular and molecular mechanisms of dietary regulation on rat intestinal H<sup>+</sup>/peptide transporter PepT1. *Gastroenterology* 116:354-362, 1999.
- 42) Chairoungdua A, Segawa H, Kim, J. Y, Miyamoto K, Haga H, Fukui Y, Mizoguchi K, Ito H, Takeda E, Endo H, Kanai Y. Identification of an amino acid transporter associated with the cystinuria-related type II membrane glycoprotein. *J Biol Chem* 274: 28845-28848, 1999.
- 43) Kanai Y, Segawa H, Miyamoto K, Uchino H, Takeda E, Endo H. Expression cloning and characterization of a transporter for large neutral amino acids activated by the heavy chain of 4F2 antigen(CD98). *J Biol Chem* 273: 23629-23632, 1998.
- 44) Tanaka H, Miyamoto K, Morita K, Haga H, Segawa H, Shiraga T, Fujioka A, Kouda T, Taketani Y, Hisano S, Fukui Y, Kitagawa K, Takeda E. Regulation of the PepT1 peptide transporter in the rat small intestine in response to 5-fluorouracil-induced injury. *Gastroenterology* 114,714-723, 1998.
- 45) Ishibashi K, Miyamoto K, Taketani Y, Morita K, Takeda E, Sasaki S, Imai M. Molecular cloning of a second human stanniocalcin homologue (STC2). *Biochem Biophys Res Commun* 250,252-258, 1998.
- 46) Yabuuchi H, Tamai I, Morita K, Kouda T, Miyamoto K, Takeda E, Tsuji, A. Hepatic Sinusoidal membrane transport of anionic drugs mediated by anion transport Npt1. *J Pharm E Ther* 286: 1391-1396, 1998.
- 47) Tatsumi S, Segawa H, Morita K, Haga H, Kouda T, Yamamoto H, Inoue Y, Nii T, Katai K, Taketani Y, Miyamoto K, Takeda E. Molecular cloning and hormonal regulation of PiT-1 a sodium-dependent phosphate cotransporter from rat parathyroid glands. *Endocrinology* 139: 1692-1699, 1998.
- 48) Taketani Y, Miyamoto K, Chikamori M, Tanaka K, Yamamoto H, Tatsumi S, Morita K, Takeda E. Characterization of the 5'flanking region of the human NPT-1 Na<sup>+</sup>/Phosphate cotransporter gene. *Biochim Biophys Acta* 1396: 267-272, 1998.
- 50) Takahashi F, Morita K, Katai K, Segawa H, Fujioka A, Kouda T, Tatsumi S, Nii T, Taketani Y, Haga H, Hisano S, Fukui Y, Miyamoto K, Takeda E. Effects of dietary Pi on the renal Na<sup>+</sup>-dependent Pi transporter NaPi-2 in thyroparathyroidectomized rats. *Biochem J* 333:175-181, 1998.
- 51) Morita K, Fujioka A, Haga H., Nii T, Segawa H, Kouda T, Taketani Y, Hisano S, Fukui Y, Miyamoto K,

Takeda E. Dietary regulation of renal phosphate transporters in hypophosphatemic mice. *J Bone Miner Metab* 16: 234-240, 1998.

52) Morita K, Haga H, Tanaka H, Fujioka A, Segawa H, Katai K, Tatsumi S, Koda T, Taketani Y, Hisano S, Fukui Y, Miyamoto K, Takeda E. Effects of dietary phosphate on Na<sup>+</sup>-dependent phosphate cotransporters function and expression in the rat kidney. *Clin Exp Nephrol* 2:109-116, 1998.

53) Katai K, Miyamoto K, Segawa H, Haga H, Morita K, Arai H, Tatsumi S, Taketani Y, Hisano S, Fukui Y, Takahashi F, Ono A, Takeda E. Effect of dietary phosphate on the sodium-dependent phosphate transporter (NaPi-2) in rat kidney. *J Develop Nephrol* 6: 38-47, 1998.

54) Tamai I, Hayashi H, Terao T, Sai Y, Shiraga T, Miyamoto K, Takeda E, Higashidera H, Tsuji A. The predominant contribution of oligopeptide transporter PepT1 to intestinal absorption of  $\beta$ -lactam antibiotics in the rat small intestine. *J Pharm Pharmacol* 49: 796-801, 1997.

55) Hisano S, Haga H, Li Z, Tatsumi S, Miyamoto K, Takeda E, Fukui Y. Immunohistochemical and RT-PCR detection of Na<sup>+</sup>-dependent inorganic phosphate cotransporter (NaPi-2) in rat brain. *Brain Res* 772: 149-155, 1997.

56) Miyamoto K, Segawa H, Morita K, Nii T, Tatsumi S, Taketani Y, Takeda E. Relative contribution of Na<sup>+</sup>-dependent phosphate cotransporters to phosphate transport in mouse kidney: RNase H-mediated hybrid depletion analysis. *Biochem J* 327: 735-739, 1997.

57) Taketani Y, Miyamoto K, Tanaka K, Katai K, Chikamori M, Tatsumi S, Segawa H, Yamamoto H, Morita K, Takeda E. Gene structure and functional analysis of the human Na<sup>+</sup>/phosphate co-transporter(NaPi-3). *Biochem J* 324: 927-934, 1997.

58) Katai K, Segawa H, Haga H, Morita K, Arai H, Tatsumi S, Taketani Y, Miyamoto K, Hisano S, Fukui Y, Takeda E. Acute regulation by dietary phosphate on the sodium-dependent phosphate transporter (NaPi-2) in rat kidney. *J Biochem* 121: 50-55, 1997.

59) Miyamoto K, Segawa H, Tatsumi S, Katai K, Yamamoto H, Taketani Y, Haga H, Morita K, Takeda E. Effects of truncation of the COOH-terminal region of a Na<sup>+</sup>-independent neutral and basic amino acid transporter on amino acid transport in *Xenopus* oocytes. *J Biol Chem* 271:16758-16763, 1996.

60) Hisano S, Haga H, Miyamoto K, Takeda E, Fukui Y. The basic amino acid transporter (rBAT)-like immunoreactivity in paraventricular and supraoptic magnocellular neurons of the rat hypothalamus. *Brain Res* 710: 299-302, 1996.

- 61) Miyamoto K, Shiraga T, Morita K, Yamamoto H, Haga H, Taketani Y, Tamai I, Sai Y, Tsuji A, Takeda E. Sequence, tissue distribution and developmental changes in rat intestinal oligopeptide transporter. *Biochem Biophys Acta*. 1305: 34-38, 1996.
- 62) Miyamoto K, Tatsumi S, Sonoda T, Yamamoto H, Minami H, Taketani Y, Takeda E. Cloning and functional expression of a Na<sup>+</sup>-dependent phosphate cotransporter from human kidney. *Biochem J* 305: 81-85, 1995.
- 63) Takahashi F, Miyamoto K, Takeda E, Minami H. Activation of ornithine decarboxylase in epithelial cells of rat intestine. *Tokushima J exp Med* 42: 11-15, 1995.
- 64) Miyamoto K, Tatsumi S, Yamamoto H, Katai K, Taketani Y, Morita K, Takeda E. Chromosome assignments of genes for human Na<sup>+</sup>-dependent phosphate co- transporter NaPi-3 and NPT-1. *Tokushima J exp Med*. 42: 5-9, 1995.
- 65) Miyamoto K, Katai K, Tatsumi S, Sone K, Segawa H, Yamamoto H, Taketani Y, Takada K, Morita K, Kanayama H, Kagawa S, Takeda E. Mutation of the basic amino acid transporter gene associated with cystiuria. *Biochem J* 3210: 951-955, 1995.

(3) 過去 5 年間の本学会での活動状況

1、第 59 回、日本栄養食糧学会、大会（2005 年）、5 月 12-15 日、東京シンポジウム、演題：リン調節因子 FGF23 の作用機序の解明（瀬川 博子ほか）  
座長：分子栄養

2、第 60 回、日本栄養食糧学会、大会（2006 年）、5 月 19-21 日、静岡シンポジウム、演題：無機リン酸の栄養代謝と腸管吸収（宮本 賢一 ほか）  
座長；分子栄養

3、第 61 回、日本栄養食糧学会、大会（2007 年）、5 月 17-20 日、京都  
座長：分子栄養

4、第 62 回、日本栄養食糧学会、大会（2008 年）、5 月 2-4 日、埼玉シンポジウム「栄養食糧学の新たな展開」-ミネラル代謝の新規調節因子（宮本 賢一 ほか）

5、第 63 回、日本栄養食糧学会、大会（2009 年）、5 月 20-22 日、長崎  
栄養生理-ミネラル 1、座長

役職：日本栄養食糧学会中国四国支部 評議員

(4) 特記事項

管理栄養士資格

平成9年度、日本先天代謝異常学会、奨励賞「リン酸トランスポーター異常と疾患」